Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	163	tiling near3 windows	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/22 22:19
L2	0	(first near3 set near3 options) same (less near3 than) same (second near3 set near3 options)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/22 22:20
L3		(first near5 options) same (less near3 than) same (second near5 options)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/22 22:22
L4	6597	(first near5 options) same (second near5 options)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/22 22:22
L5	17060	(first near5 options) with less with] (second near5 options)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/22 22:23
L6	. 81	(first near5 options) with less with (second near5 options)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/22 22:47
L7	1	"20050125427".pn. and (resource or (system near3 resource))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/22 23:27
L8	2	"20050192997".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/22 23:27
L9	2	"20050192997".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB		ON	2007/12/22 23:27
L10	2	"20050192997".pn. and medium	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB		ON	2007/12/22 23:51

L11	2	"20050125427".pn. and database	US-PGPUB; USPAT;	OR	ON ·	2007/12/23 00:07
			USOCR; EPO; JPO; DERWENT; IBM_TDB		•	
L12	2705	(707/100).CCLS.	USPAT; USOCR	OR	OFF	2007/12/23 00:07
L13	27	(query with (estimat\$4 or determin\$4) with cost) same (schedul\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/23 00:07
L14	6	suggest\$4 with time with run with query	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/23 00:07
L15	0	(batch near3 operation) with execution with time with (suggest\$4 or recommend\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/23 00:07
L16	0	dynamic\$4 same (query near5 schedul\$4 near5 (option or criteria or propert\$4 or sett\$5))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR .	ON	2007/12/23 00:07
L17	13	(suggest\$4 or recommend\$4 or determin\$4 or calculat\$4 or generat\$4) with alternative with query with (schedule or date or (execution adj time))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/23 00:07
L18	. 14	(generat\$4 same future same time same (batch near3 operation))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/23 00:07
L19	0	determin\$4 same select\$4 same (query near3 schedul\$5 near3 options)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/23 00:07
L20	30	(query same week same month same year) same display	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON .	2007/12/23 00:07
L21	14	(((time or date) with query) same (schedul\$5 with query)) same suggest\$6	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/23 00:07

L22	5386	(707/10).CCLS.	USPAT; USOCR	OR	OFF	2007/12/23 00:07
L23	51	schedul\$4 with query with ((later near3 time) or future)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/23 00:07
L24	4657	(707/3).CCLS.	USPAT; USOCR	OR .	OFF	2007/12/23 00:07
L25	302	((sav\$4 or stor\$4) near3 query) same (schedul\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR .	ON	2007/12/23 00:07
L26	2477	(707/101).CCLS.	USPAT; USOCR	OR	OFF	2007/12/23 00:07
L27	3	optimal with query with execution with time with (suggest\$4 or recormmend\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/23 00:07
L28	294	(suggest\$4 or recommend\$4) same time same (batch near3 operation)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON .	2007/12/23 00:07
L29	1	L28 same quer\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/23 00:07
L30	1	L28 same query	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/23 00:07
L31	. 85	((determin\$4 or calculat\$4 or predict\$4 or estimat\$4) with (query near3 (schedul\$4))) same (time or date or day or month or week)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/23 00:07
L32	115	(limit\$4 or restrict\$4) same (query near3 schedul\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/23 00:07
L33	21	alternative near3 query near3 (time or date or day or week or month)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR .	ON	2007/12/23 00:07

L34	27	(query with (estimat\$4 or determin\$4) with cost) same (schedul\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/23 00:07
L35	6	suggest\$4 with time with run with query	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/23 00:07
L36		(batch near3 operation) with execution with time with (suggest\$4 or recommend\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/23 00:07
L37	0	dynamic\$4 same (query near5 schedul\$4 near5 (option or criteria or propert\$4 or sett\$5))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/23 00:07
L38	14	(generat\$4 same future same time same (batch near3 operation))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/23 00:07
L39	0	determin\$4 same select\$4 same (query near3 schedul\$5 near3 options)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR .	ON	2007/12/23 00:07
L40	30	(query same week same month same year) same display .	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/23 00:07
L41	14	(((time or date) with query) same (schedul\$5 with query)) same suggest\$6	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/23 00:07
L42	5386	(707/10).CCLS.	USPAT; USOCR	OR	OFF	2007/12/23 00:07
L43	51	schedul\$4 with query with ((later near3 time) or future)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/23 00:07
L44	4657	(707/3).CCLS.	USPAT; USOCR	OR	OFF	2007/12/23 00:07

		EAST Scaren misco	• •			
L45	302	((sav\$4 or stor\$4) near3 query) same (schedul\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/23 00:07
L46	2477	(707/101).CCLS.	USPAT; USOCR	OR ·	OFF	2007/12/23 00:07
L47	3	optimal with query with execution with time with (suggest\$4 or recormmend\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/23 00:07
L48	294	(suggest\$4 or recommend\$4) same time same (batch near3 operation)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB.	OR	ON	2007/12/23 00:07
L49	1	L48 same quer\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/23 00:07
L50	1	L48 same query .	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/23 00:07
L51	85	((determin\$4 or calculat\$4 or predict\$4 or estimat\$4) with (query near3 (schedul\$4))) same (time or date or day or month or week)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/23 00:07
L52	115	(limit\$4 or restrict\$4) same (query near3 schedul\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/23 00:07
L53	21	alternative near3 query near3 (time or date or day or week or month)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/23 00:07
L54	5386	(707/10).CCLS.	USPAT; USOCR	OR	OFF	2007/12/23 00:07
L55	2477	(707/101).CCLS.	USPAT; USOCR	OR	OFF	2007/12/23 00:08
L56	4657	(707/3).CCLS.	USPAT; USOCR	OR	OFF	2007/12/23 00:08
L57	13	(suggest\$4 or recommend\$4 or determin\$4 or calculat\$4 or generat\$4) with alternative with query with (schedule or date or (execution adj time))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/23 00:08

L58	2	"7133860".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/23 00:08
L59		"7130867".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/23 00:08
L60	2	"20040236736".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/23 00:08
L61	0	(different near3 quer\$5) same (different near3 schedul\$4 near3 options)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/23 00:08
L62	19	query near3 schedul\$4 near3 options	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/23 00:08
L63	3443	query with cost	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/23 00:08
L64	147	(query with cost) and ((schedul\$4 or delay\$4) near3 query\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/23 00:08
L65	1	dynamic near3 query near3 scheduling	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR ·	ON	2007/12/23 00:08
L66	108	(present\$4 or display\$4 or generat\$4) with (query near3 plans) with (user)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/23 00:08
L67	43	L66 and (user near3 select\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/23 00:08

L68	1	"20050125427".pn. and (query near3 plan) and (time or date)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON .	2007/12/23 00:08
L69	1	"20050125427".pn. and (query near3 plan)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR .	ON ·	2007/12/23 00:08
L70	13	(user near3 query near3 history) same (query plan) same cost	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/23 00:08
L71	2	(user near3 (profile or history or metadata)) same (query near3 scheduling)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/23 00:08
L72	3136665	(determin\$ near3 query near3 plan) and (user near3 profile) adn cost	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/23 00:08
L73	2	"20050192997".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/23 00:08
. L74	1	"20050125427".pn. and cost	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/23 00:08
L75	1	"20050125427".pn. and (old with plan)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/23 00:08
L76	6	(user near3 query near3 history) and (query near3 plan) and cost	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/23 00:08
L77	0	(determin\$ near3 query near3 plan) same (user near3 profile) same cost	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/23 00:08

			-			
L78	0	(user near3 query near3 history) same (query near3 plan) same cost	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/23 00:08
L79	2	(determin\$ near3 query near3 plan) and (user near3 profile) and cost	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/23 00:08
L80	2	"6366915".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/23 00:08
L81	53	(query near3 plan) and (user near3 profile) and cost	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR .	ON	2007/12/23 00:08
L82		"20050192997".pn. and (user near3 parameters)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/23 00:08
L83	1	(query near3 plan) same (user near3 profile) same cost	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/23 00:08